### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

#### **Claims**

1. (originally presented) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) to form a compound of formula (VI)

(d) coupling a compound of formula (VI) with a compound of formula (VII)

to yield a compound of formula (I).

2. (originally presented) A a process for the preparation of a compound of formula (I) comprising steps (a), (b), (c) and (d) according to claim 1 wherein steps (a) and (b) are

combined in a one-pot reaction to yield a compound of formula (V) which is isolated and in which steps (c) and (d) are combined in a one-pot reaction to yield a compound of formula (I).

3. (originally presented) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III);

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

$$\begin{array}{c} \begin{array}{c} \\ \\ \\ \\ \end{array} \end{array}$$

(c) deprotecting a compound of formula (V) and coupling with a compound of formula (VII)

to form a compound of formula (I).

4. (originally presented) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) to form a compound of formula (VI)

(d) coupling a compound of formula (VI) with a compound of formula (VIII)

to yield a compound of formula (I).

- 5. (currently amended) A a process for the preparation of a compound of formula (I) comprising steps (a), (b), (c) and (d) according to claim 4 wherein steps (a) and (b) are combined in a one-pot reaction to yield a compound of formula (V) which is isolated and in which steps (c) and (d) are combined in a one-pot reaction to yield a compound of formula (I).
- 6. (originally presented) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

. 3-2-2----

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) and coupling with a compound of formula (VIII)

to form a compound of formula (I).

7. (currently amended) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) to form a compound of formula (VI)

(c) (d) coupling a compound of formula (VI) with a compound of formula (IX)

to yield a compound of formula (I).

10. (currently amended) A a process for the preparation of a compound of formula (I) comprising steps (a), (b), (c) and (d) according to elaim 8 claim 7 wherein steps (a) and (b)

are combined in a one-pot reaction to yield a compound of formula (V) which is isolated and in which steps (c) and (d) are combined in a one-pot reaction to yield a compound of formula (I).

## 11. (originally presented) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of an aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) and coupling with a compound of formula (IX)

to form a compound of formula (I).

- 12. (currently amended) A process according to any-of-claims 1—11 claim 7 wherein the alcohol-containing solvent is acetonitrile-methanol.
- 13. (currently amended) A process according to any of claims 1—11 claim 7 wherein the aqueous base is sodium bicarbonate.
- 14. (currently amended) A process according to any of claims 1—11 claim 4 wherein step (b) is performed in the presence of non-aqueous base.
- 15. (originally presented) A process for the preparation of (3R,3aS,6aR)-hexahydrofuro[2,3-b]furan-3-yl 4-nitrophenyl carbonate of the formula

comprising reacting (3S,3aR,6aS)-hexahydrofuro[2,3-b]furan-3-ol) of the formula

with 4-nitrophenyl chloroformate in a suitable solvent to form (3R,3aS,6aR)-hexahydrofuro[2,3-b]furan-3-yl 4-nitrophenyl carbonate.

16. (originally presented) (3R,3aS,6aR)-hexahydrofuro[2,3-b]furan-3-yl 4-nitrophenyl carbonate of the formula

made by the process according to claim 15.

17. (originally presented) A compound of formula (VIII)

18. (originally presented) A compound of formula (IX)

$$0 \longrightarrow H \longrightarrow N \longrightarrow N$$

$$(IX)$$

19. (new) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of non-aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) to form a compound of formula (VI)

(d) coupling a compound of formula (VI) with a compound of formula (IX)

$$0 \longrightarrow H \longrightarrow N = N$$

$$(IX)$$

to yield a compound of formula (I).

- 20. (new) A process according to claim 19 wherein the non-aqueous base is N-methylmorpholine.
- 21. (new) A process for the preparation of a compound of formula (I)

comprising:

(a) treating a compound of formula (II)

with excess isobutylamine in an alcohol-containing solvent to form a compound of formula (III)

(b) treating a compound of formula (III) with a compound of formula (IV)

in the presence of a non-aqueous base to form a compound of formula (V)

(c) deprotecting a compound of formula (V) to form a compound of formula (VI)

Prairie Parent

(d) coupling a compound of formula (VI) with a compound of formula (VII)

to yield a compound of formula (I).

- 22. (new) A process according to claim 20 wherein the non-aqueous base is N-methylmorpholine.
- 23. (new) A process according to claim 1 wherein the alcohol-containing solvent is acetonitrile-methanol.
- 24. (new) A process according to claim 1 wherein the aqueous base is sodium bicarbonate.

# Amendments in the Abstract:

The abstract is submitted herewith on a separate sheet of paper as required by U.S. practice.

Attachment: Replacement sheet